

<b>REQUEST FOR CERTIFICATE OF CORRECTION</b>	Docket No. W0029/7005
Applicant: Matthias Boese Serial No: 10/675,804 Filed: September 30, 2003 For: METHOD FOR APPLYING A FILM OF SAMPLE TO A SAMPLE CARRIER Examiner: W. P. Fletcher, III Art Unit: 1762	

Assistant Commissioner for Patents  
 Alexandria, VA 22313-1450

**ATTENTION: Decision and Certificate of Correction  
 Branch of the Patent Issue Division**

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT (37 C.F.R. 1.323)**

Applicant hereby requests the issuance of a Certificate of Correction for the above-referenced patent, said correction being shown on the attached Certificate of Correction form. Payment of the fees in connection with this issuance is made by means of Electronic Funds Transfer. The Commissioner is hereby authorized to charge any additional fees to Deposit Account No. 20-0065. Any questions regarding this matter may be directed to Attorney Paul Kudirka at the below-referenced number.

Respectfully submitted

          /paul e. kudirka/            
 Paul E. Kudirka, Esq. Reg. No. 26,931  
 LAW OFFICES OF PAUL E. KUDIRKA  
 Customer Number 064967  
 Tel: (617) 357-0010 Fax: (617) 357-0035

Date:           2008-03-18

UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION

PATENT NO :7,267,838

DATED :September 11, 2007

INVENTOR(S) :Matthias Boese

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Page 1, Column 1, (37):

Please replace "Bruker BioSpin, GmbH; Rheinstetten-Furchheim (DE)" with --Bruker Optik GmbH; Ettlingen, Germany--.

MAILING ADDRESS OF SENDER: LAW OFFICES OF PAUL E. KUDIRKA  
40 Broad Street  
Boston, MA 02109

PATENT NO. 7,267,838

No. of additional copies

⇒